

Product Brief

# NLG Ascent Pouch™

101520



# NLG Ascent Pouch™

Product code: 101520

PRODUCT BRIEF / 101520

The NLG Ascent Pouch™ redefines the rope access tool bag with a focus on safety and ergonomics.

The NLG Ascent Pouch™ has been developed after extensive research and analysis of common tool kits used when working at height.

The opening size has been increased and features a tapered shape to improve capacity and provide easy access and visibility of contents whilst maintaining a compact design. The 'D' profile base and opening improves ergonomics and keeps the pouch close to the user when in use.

The Ascent™ webbing side modules give structural support whilst the external gear loops provide staging and extra storage. The extended internal anchor points make it quick and easy to attach tool lanyards.

The Ascent Pouch™ comes with a captive carabiner built in which prevents any accidental release from the connector. The rotating design of the twistlock carabiner means that the bag's natural work position is maintained during use. The Ascent Pouch™ can also be directly mounted via the rear loops onto a belt, harness or rail.

---

## INSPECTION

In addition to routine checks prior to each use, all equipment should undergo regular detailed inspection, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for thorough inspection.

## Specification

- Unique tapered 'D' profile improves capacity, internal visibility and ergonomics
- Drop prevention closure system folds neatly out of the way when not required
- 4 integrated anchor points for multiple tool lanyard attachment
- Rotating twistlock carabiner maintains natural pouch positioning in use
- Rear loops offer belt mounting or direct attachment to a harness or rail
- Super strong Ascent™ side modules give structural support whilst the external gear loops provide easy staging and extra storage
- Removable reinforced base plate protects against piercing from sharp tools
- Integrated Drain Vent keeps the pouch in optimal working condition, even in wet weather
- Constructed from heavy duty PVC which is both UV stabilised and mildew resistant
- Easy wipe clean coating makes light work of maintenance
- Structurally engineered to withstand dynamic impact forces
- Unique serial number for easy identification and tracking
- CE marked
- ANSI/ISEA 121-2018 compliant
- Load tested and third-party certified (5:1 safety factor)
- Dimensions: 20cm x 18cm x 30cm
- Capacity: 7 Litre
- Internal Anchor Max Load: 5KG (11lbs)
- Max Load: 5KG (11lbs)

---

### MAX LOAD (SWL)

5KG / 11LBS

---


### SERIAL NUMBERED


Makes the management of inspection routines and reports easy and traceable

---

### PRODUCT DATA

Weight: 510 Grams  
 EAN (GTIN-13): 5060572180642  
 HTS Code: 6307.90.9889







## Breathe Safety Testing Laboratory

UKAS Testing No 8856 | Accredited to ISO/IEC17025/2005

### DROP TEST CERTIFICATE

44176DT-NLG-241520

#### PRODUCT IDENTIFICATION

**Manufacturer:**  
NLG

**Max Load (WLL):**  
5 KG (D Ring Anchor: 5 KG)

**Product:**  
Ascent Pouch

**Safety Factor:**  
5 : 1 (D Ring Anchor: 2 : 1)

**Reference:**  
101520

**Test Load:**  
25 KG (D Ring Anchor: 10 KG)

#### TEST TECHNICIAN

**Signature:**

**Name:**  
Max Diffey

**Date:**  
06-02-19

**Position:**  
Senior Lab Technician

#### TEST RESULTS

\*D Ring Anchor Test

SAMPLE NUMBER	FACTOR 0	FACTOR 1 DROP 1	FACTOR 1 DROP 2	FACTOR 1 DROP 3	FACTOR 2 DROP 1	FACTOR 2 DROP 2	FACTOR 2 DROP 3
1	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
2	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*
3	PASS	PASS*	PASS*	PASS*	PASS*	PASS*	PASS*

United Kingdom Accreditation Service

ACCREDITATION CERTIFICATE



TESTING LABORATORY  
No. 8856  
Breathe Safety Limited

Please note that the results included in this report relate only to the specific equipment samples tested. This is for the purpose of Type Approval of Equipment under the PPE Directive. For more detail refer to the full Accredited Laboratory Policy. This report may not be reproduced without authorisation from the laboratory. Any deviations from specific test methods are described in the relevant section of the report.

- Fully Equipped Laboratory for CE Type Approval Testing
- Product Trial testing for specific tests
- CE Technical File review and consultancy advice
- CE Certification facilitation through a partner Notified Body

0844 915 1111

17 Whittle Road, Ferndown Industrial Estate, Ferndown, Dorset BH21 7RL

# EU Declaration of Conformity

REFERENCE NUMBER: **364101520147**

## 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

## 02 / Product

CODE: 101520  
 DESCRIPTION: Ascent Pouch  
 LOAD RATING: 5 KG / 11 LBS

## 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that:

The PPE described in [02] is in conformity with the provision and scope of our quality control and testing protocols set out in the PPE Regulation (EU) 2016/425 covering all PPE manufacturing, where such is the case, with the standard of fit for purpose design parameters. The above referred to Personal Protective Equipment [02] is identical to the equipment independently tested and certified by BSTL in accordance with EN 364:1992 test methods.

Dynamic drop performance testing conducted at 2:1 weight safety factor for tool lanyards and tether points. Static strength testing conducted at 5:1 weight safety factor for containers and storage equipment.

CERTIFICATE NUMBER: 44176DT-NLG-241520  
 ISSUED BY: BSTL, Whittle Road  
 Ferndown Ind. Estate, BH217RL, UK

## 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 11 / 02 / 19

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





# Declaration of Conformity

## ANSI/ISEA 121-2018

REFERENCE NUMBER: 121101520147

American National Standard for  
Dropped Objects Prevention Solutions

### 01 / Manufacturer

NAME: NLG  
 ADDRESS: 6 Mannings Heath Road  
 Poole, Dorset, BH12 4NQ  
 United Kingdom

### 02 / Product

CODE: 101520  
 DESCRIPTION: Ascent Pouch  
 LOAD RATING: 5 KG / 11 LBS

### 03 / Conformity

The undersigned acting on behalf of [01] above hereby declares that the product described in [02] meets all applicable requirements as stated in ANSI/ISEA 121-2018.

ANSI/ISEA 125-2014 CONFORMITY ASSESSMENT METHOD: Level 1

TEST FACILITY: (Independent third party)  
 BSTL, Whittle Road  
 Ferndown Ind. Estate, BH21 7RL, UK  
 CERTIFICATE NUMBER: 43334DTA-NLG-214520  
 DATE: 06 / 02 / 19

### 04 / Authorised Person

I herewith certify that the equipment identified above in [02] conforms to the requirements as detailed above:

SIGNED:   
 NAME: Julian Aris  
 POSITION: Managing Director  
 DATE: 11 / 02 / 19

Tool Tethering Experts  
[neverletgo.com](http://neverletgo.com)





# NLG Ascent Pouch™

Product code: 101520

View online

[neverletgo.com/ascent-pouch/](https://neverletgo.com/ascent-pouch/)

Get all the Product Briefs

[neverletgo.com](https://neverletgo.com)

**Tool Tethering Experts**  
[neverletgo.com](https://neverletgo.com)

NLG makes every effort to ensure the information in this Product Brief is accurate and current. However, NLG reserves the right to change the product specification when or if deemed necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2018. NLG ® and Never Let Go ® are registered trademarks.